



Safe - For life!

bayerwald.com



Find the right one for your needs.

Contents

The BAYERWALD® window world – SAFE. DESIGN. 4			
Plastic and plastic/aluminium windows	6		
The intelligent combination	12		
The new wood world	14		
Wooden and wooden/aluminium windows	16		
BAYERWALD® full-service provider	28		
lift and slide doors	30		
types of wood	34		
Our colors	36		
window handles	40		

Original TRESORBAND®	42
Details plastic and plastic/aluminum windows 46	
Details wooden window	48
Details Wood and wood/aluminium windows	50
Details lift and slide doors	54
BAYERWALD® – That's what we stand for	56
All from a single source	58
sun protection	60
BAYERWALD® – your partner	62

BAYERWALD® window world - we only have invisible hinges

SAFE Das Sichere

Confidently safe! SAFE - our best window.

Unbeatable advantages

n High, proven security standard n Concealed Tresorband® n First-class energy efficiency n Childproof thanks to window handle with

Locking function and drilling protection n Full color selection available on all models



Triple glazing



3 seals



Patented Tresorband® concealed fitting



RC1N hardware equipment with security locking pieces



Steel colored window handle with Locking function and drilling protection

Concealed Tresorband® full color selection



safe band above



Safety window handle in steel colour SecuForte with locking function and anti-drill protection



Vault tape below

จDESIGN

Das Komfortable

Absolute eye-catcher DESIGN - our all-round window.

Unbeatable benefits

n Increased basic security

n Concealed scissor fitting n Optimum thermal insulation **n** Full color selection





Scissor fitting above

Steel colored window handle









3 seals



Concealed fitting



Increased basic security 2 security strikers



4

Steel colored window handle Type 100





Scissor fitting below



Plastic and plastic/aluminium windows for every requirement.

BAYERWALD[®]

New. Innovative. Economically. The technically perfect plastic line reflects the contemporary style of living. Modern, angular design - new technical features maximum energy efficiency.





BW96C





Plastic window BW82



Fig: BW82 SAFE (concealed Tresorband®)





KU

Advantages

n Modern, angular look **n** More glass surface through slim frame

n Top thermal insulation value
 possible up to Uw 0.69 W/
 m²K n High safety standard

SAFE Das Sichere





Plastic/aluminium window BW96C



Fig: BW96C SAFE (concealed Tresorband®)





STAND UP

Advantages

n Unique

Aluminiumschale

n Modern angular look **n** Top thermal insulation value

possible up to Uw 0.69 W/m²K **n** Innovative safety technology

Das Sichere





The best of both worlds.

The intelligent combination

Our BW96C and our HA94C / HA106C windows

BAYERWALD® **windows** are a simple combination of wood/aluminium windows with our **HA94C**, **HA106C** and **BW96C** lines of PVC/aluminium windows.

Identical from the outside, freely combinable from the inside.







NATURAL PERFECTION - OUR NEW WOOD WORLD

Experience our **new wooden window world**

Wood is a renewable raw material with excellent insulating properties. It is ideal as a building material because it is durable, flexible and of high quality. Due to its naturalness and its unique grain, it is always an eye-catcher. Because no other material radiates as much warmth, comfort and naturalness as wood.

"

WOOD HAS A POSITIVE EFFECT ON THE LIVING ENVIRONMENT. IT BRINGS WARMTH AND COZYNESS TO A ROOM.



CONSISTENT











Wood and wood/aluminium windows - Sustainable from nature.



BAYERWALD[®]

Naturally. Noble. Stable. The BAYERWALD® wood and wood/aluminium windows bring warmth and comfort into your rooms. The regional raw material and the elegant aluminum convey a special kind of home feeling. The windows also impress with stable corner connections, high security standards and ecological materials.









HA94W/HA106W



HA94C/HA106C





HA97MV/HA109MV HA97MB/HA109MB H80DS



Wooden window H80N / H92N / H80DS



Abb: H80N SAFE (concealed Tresorband®)





WOOD

Advantages

n High security standard

- **n** Top thermal insulation value possible up to Uw 0.7 W/m²K
- n Sustainable product for generations
- n Pleasant surface Pure nature





Monument protection window H80DS







WOOD

Advantages

n For renovations in

 Listed for protection of
 monuments n As a style window with different
 Types of wood possible (e.g. knotty)
 n High security standard
 n Top thermal insulation value
 possible up to Uw 0.75 W/m²K
 n Sustainable product
 for generations





H80DS style window







WOOD

Advantages

n For renovations in

Listed for protection of monuments **n** High security standard

- **n** Top thermal insulation value possible up to Uw 0.75 W/m²K
- n Sustainable product for generations

types of wood

- n spruce
- n Edeltanne
- n oak
- n Red Grandis
- **n** Antikholz
- n Antique wood/reclaimed wood
- n knotty larch







Wood/aluminium window with weatherproof shell HA94W / HA106W







WOOD ALU

Advantages


- n High security standard
- **n** Top thermal insulation value possible up to Uw 0.71 W/m²K
- n Sustainable product for generations
- n 2 in 1 natural wood inside surface, exterior care

lightweight aluminum shell

n Classic wooden window look thanks to the aluminum shell with rain protection rail







wood/aluminium windows HA94C/HA106C / HA97MV/HA109MV / HA97MB/HA109MB





WOOD ALU

Advantages

- n High security standard
- **n** Top thermal insulation value
 - possible up to Uw 0.71 W/m²K
- n Sustainable product for generations
- ${f n}$ 2 in 1 natural wood inside

surface, exterior care lightweight aluminum shell

n Classic wooden window look thanks to the aluminum shell with rain protection rail





Holz-/Aluminiumfenster HA97MV/HA109MV



Abb. HA97MV (concealed Tresorband®)





WOOD ALU

Advantages

n High security standard

- **n** Top thermal insulation value possible up to Uw 0.7 W/m²K
- n Sustainable product for generations
- n 2 in 1 natural wood surface on the inside, easy-care aluminum shell with offset profile on the outside







Holz-/Aluminiumfenster HA97MB/HA109MB



Abb. HA109MB (concealed Tresorband®)





WOOD ALU

Advantages

n High security standard

- ${\boldsymbol n}$ Top thermal insulation value possible up to Uw 0.73 W/m²K
- n Sustainable product for generations
- n 2 in 1 natural wood surface on the inside, easy-care aluminum shell with a flush profile on the outside



SAFE Das Sichere





BAYERWALD® full-service provider - everything for your home.

BAYERWALD[®]

Isn't it wonderful to get everything from one source - the expert source? Save time, money and distances and put your trust in BAYERWALD®'s specialist know-how. Decades of experience. Proven quality standards.

Whether new construction, renovation or monument protection, age-appropriate and barrier-free construction, high-quality insect and sun protection: BAYERWALD® offers convincing products for all requirements and is "always one step ahead" when it comes to customer satisfaction.



Plastic/aluminium lift and slide doors





STAND UP

Advantages

n New design options

n Lots of light

n Space-saving, since no wing protrudes into the room

n Flat threshold


n Top thermal insulation value possible up to Uw 0.76 W/m²K

n 2 in 1 – inside plastic,

easy-care outside Aluminiumschale



Abb: HST BW87



Wood/aluminium lift and slide doors





WOOD ALU

Advantages

n Modern, simple design **n** New design options **n** Lots of light

- **n** Space-saving, since no wing protrudes into the room
- **n** Flat threshold, optionally barrier-free step plate
- \boldsymbol{n} Top thermal insulation value possible until U $_{_{\rm in}}$ 0,64 W/m²K
- **n** Sustainable product for generations
- **n** Optional with soft-close system **n** 2 in 1 natural wood surface on the inside,
 - easy-care outside Aluminiumschale





Unique pieces of nature for your home

Our types of wood

Nature	cool	brushed	cool	brushed
Wood is a natural product. Each piece is unique and natural. The natural properties, deviations and	Knots are growth marks of the heartwood and lead to the marrow of the tree. They therefore remain in	By brushing Wood can be a modern and achieve a rustic look become. Soft wood will	Knots are growth marks of the heartwood and lead to the marrow of the tree. They therefore remain in	By brushing Wood can be a modern and achieve a rustic look become. Soft wood will
characteristics male are his looks and his character.	all zones of the cut wood and become visible.	brushed out and that hard wood remains. Thus comes the Holzma	all zones of the cut wood and become visible.	brushed out and the hard wood remains. Thus comes the Holzma
Fichte	Fichte cool	better effect. Fichte brushed Fichte knotty brushed (fig.)	Antikholz	better effect. Antikholz brushed
Precious teeth		Precious teeth brushed	Antique wood / reclaimed wood	Antique wood / reclaimed wood brushed
Oak	knotty oak	brushed oak Oak knotty brushed (ill.)	Larch knotty	Larch knotty brushed
Red Grandis				

Our types of wood

BAYERWALD® color world wood

Preferred color wood free of charge



Natural color wood

free of charge



Preferred colors of wood and natural colors are possible for wood and wood/aluminium windows. Preferred colors not possible on knotty wood.

Preferred colors and natural colors are not possible on brushed wood and not on antique and antique wood/old wood. Illustrations in the wood type spruce.


1) These natural colors are only possible outdoors in conjunction with a weatherproof or aluminum shell!

2) Not possible on Red Grandis


3) Not possible on oak

Oil finish wood


with extra charge



BAYERWALD® color world plastic



Preferred foils plastic smooth at extra charge Preferred film, grained plastic, for an additional charge



Exclusive foils smooth plastic for an extra charge Exclusive film, grained plastic, at an additional cost



Not all foils are possible with lift-and-slide doors.

BAYERWALD® aluminum color world

Preferred color aluminum smooth matt without surcharge

Preferred colors aluminium

Fine structure matt without surcharge

DuraMetallic aluminum at extra cost

Natura aluminum at extra charge

Purple	Moosgrün	DuraMetallic DuraMe		Nature	Nature
RAL 3004	RAL 6005	Iron mica dark gre		Kirsch	Kiefer is cool
Basaltgrau	Anthracite grey	DuraMetallic DuraMe		Nature	Nature
RAL 7012	RAL 7016	anthracite medium		Oak	chestnut
Schwarzgrau	Umbragrau	DuraMetallic DuraMe		Nature	Nature
RAL 7021	RAL 7022	light grey quartz g		Douglas fir dark	Candy
ocher brown	Lehmbraun	DuraMetallic DuraMe	etallic	Nature	Nature
RAL 8001	RAL 8003	quartz sand Quartz r	reddish brown	Golden Oak	Nussbaum
chocolate brown	grey-brown	DuraMetallic DuraMe		Nature	Nature
RAL 8017	RAL 8019	Rusty Iron DB 703		English Red	Dark Wood
jet black RAL 9005	traffic white RAL 9016	Effect colors aluminum silk	Y Weißaluminium RAL 9006 satin gloss – not matt –	Graualuminium RAL 9007 satin gloss – not matt –	DB 703 satin gloss – not matt –

Handles for windows and lift and slide doors

Type 100 black

Type 200 black





Type 100 white

Type 200 white

Type 100 steel colored



Type 200 steel colored



Type 250 SecuForte steel colored



Type 250 SecuForte white



Type 300 steel colored

Type 300 white



Type 300 black

Type 250 SecuForte

black



Type 100 HST steel colored



Type 100 HST white



Type 100 HST black




Type 10 stainless steel fine matt



Type 11 satin stainless steel



Type 8 brass colored polished





Type 19 silver antique



Type 20 silver antique



Type 21 silver antique



Rungs for the individual look

As a full-range supplier, BAYERWALD® also has window bars for every taste.

Choose from our wide range of wood, plastic, aluminum and brass variants! Thanks to the different arrangement and number of glazing bars, you can make your windows unique. This will give your home a unique look and a touch of nostalgia.

Rungs are available in the following versions:

n Glued to the pane

- n In the space between the glass
- n glass divider

The following materials are possible:

n wood

n wood/aluminium

n plastic

n Plastic/aluminium

n Messing





The original TRESORBAND® - only at BAYERWALD®

Unattractive hinges have long been a thing of the past with BAYERWALD® windows. The patented and completely concealed Tresorband® promises the highest level of burglary protection and is included as standard in all windows in the SAFE line. Thousands of burglary attempts have shown that no burglar can avoid this product from BAYERWALD®. More than 1.6 million built-in Tresorbabands® speak for themselves.








Machine Translated by Google

BAYERWALD '-Seal. Look out for our "Original Tresorband" seal "". Only where this seal on it is also our patented security safe tape installed.

BAYERWALD.COM | 43



Original TRESORBAND® - only at BAYERWALD®



Our security standard - RC1 fittings

















sash lifter also relieves the window when tilted



3



Safety mushroom pin

and anti-drill protection

8 security mushroom cams for accessing the security and standard strikers

security strikers Security strikers for high anti-jemmy protection

standard strikers additional locking pieces

special bolt for tilt function

BAYERWALD.COM | 45

plastic windows



KU

thermal insulation (W/m2K)



glass thickness



Security


glazing plastic composite



execution

Furnishing





82 mm

Top value: possible up to Uw 0.69 Standard: Uw 0,83 (Ug 0,6)*

2 or 3 slices thermal insulation glazing


Up to 52 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

A quality profile Frame with 7 insulating chambers + Square steel tube Wing with 6 isolation chambers

BW82 DESIGN



82 mm

Top value: possible up to Uw 0.69 Standard: Uw 0,83 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 52 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

A quality profile Frame with 7 insulating chambers + Square steel tube


Wing with 6 isolation chambers



Plastic/aluminium windows



BW96C SAFE



96 mm

thermal insulation (W/m2K)

overall depth



glazing plastic composite

glass thickness



•

Security



execution

Furnishing





Standard: Uw 0,83 (Ug 0,6)* 2 or 3 slices

Top value: possible up to Uw 0.69

thermal insulation glazing


Up to 52 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

A quality profile Frame with 7 insulating chambers + Square steel tube Wing with 6 isolation chambers

BW96C DESIGN



96 mm

Top value: possible up to Uw 0.69 Standard: Uw 0,83 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 52 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

A quality profile Frame with 7 insulating chambers + Square steel tube

Wing with 6 isolation chambers



wooden window



H80N SAFE



Top value: possible up to Uw 0.73

Standard: Uw 0,86 (Ug 0,6)*

thermal insulation glazing

Up to 44 mm possible

RC1N fitting equipment

80 mm

2 or 3 slices

thermal insulation (W/m2K)

overall depth



glazing plastic composite

glass thickness



Security



 $\mathbf{\dot{\mathbf{C}}}$

execution

Furnishing

Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband® Concealed Tresorband®

> 3 seals sash cover profile

3-layer gluing Multi-layer paint application on the loose individual part

H80N DESIGN



80 mm

Top value: possible up to Uw 0.73 Standard: Uw 0,86 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 44 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals sash cover profile

3-layer gluing Multi-layer paint application on the loose individual part

H92N SAFE



92 mm

Top value: possible up to Uw 0.7 Standard: Uw 0,83 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals sash cover profile

4-layer gluing Multi-layer paint application on the loose individual part

H92N DESIGN



92 mm

Top value: possible up to Uw 0.7 Standard: Uw 0,83 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

Increased basic security 2 security strikers

Concealed fitting

3 seals sash cover profile

4-layer gluing Multi-layer paint application on the loose individual part

wooden window

WOOD





н

80 mm

2 or 3 slices

thermal insulation (W/m2K)



glazing plastic composite

glass thickness

overall depth



R

Security



Ö

_

execution

Furnishing

Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband® Concealed Tresorband®

3 seals

RRC1N hardware equipment

Top value: possible up to Uw 0.75

Standard: Uw 0,88 (Ug 0,6)*

thermal insulation glazing

Up to 44 mm possible

3-layer gluing Multi-layer paint application on the loose individual part





HA94W SAFE





thermal insulation (W/m2K)



plastic composite

glazing

overall depth



Security



œ

execution

Furnishing

94 mm

Top value: possible up to Uw 0.75 Standard: Uw 0,88 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 44 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA94W DESIGN



94 mm

Top value: possible up to Uw 0.75 Standard: Uw 0,88 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 44 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA106W SAFE



106 mm

Top value: possible up to Uw 0.71 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

4-layer gluing Multi-layer paint application on the loose individual part

HA106W DESIGN



106 mm

Top value: possible up to Uw 0.71 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

Increased basic security

2 security strikers

Concealed fitting

3 seals

4-layer gluing Multi-layer paint application on the loose individual part

WOOD ALU

HA94C SAFE



Top value: possible up to Uw 0.75

Standard: Uw 0,88 (Ug 0,6)*

thermal insulation glazing

Up to 44 mm possible

RC1N fitting equipment Security strikers, optional

Patented Tresorband®

Concealed Tresorband®

Multi-layer paint application on

the loose individual part

RC1N, RC2N, RC2

3 seals

3-layer gluing

94 mm

2 or 3 slices

(W/m2K)

overall depth



glazing plastic composite



8

Security



thermal insulation

glass thickness



execution

94 mm

Top value: possible up to Uw 0.75 Standard: Uw 0,88 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

HA94C DESIGN

Up to 44 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA106C SAFE



106 mm

ล

Top value: possible up to Uw 0.71 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

4-layer gluing Multi-layer paint application on the loose individual part

HA106C DESIGN



106 mm

Top value: possible up to Uw 0.71 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 54 mm possible

Increased basic security

2 security strikers

Concealed fitting

3 seals

4-layer gluing Multi-layer paint application on the loose individual part

WOOD ALU





97 mm



thermal insulation (W/m2K)



plastic composite

glazing

overall depth



Security



œ

execution

Furnishing

Top value: possible up to Uw 0.74 Standard: Uw 0,87 (Ug 0,6)*

> 3 discs thermal insulation glazing

Up to 50 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA97MV DESIGN



97 mm

Top value: possible up to Uw 0.74 Standard: Uw 0,87 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 50 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA109MV SAFE



109 mm

Top value: possible up to Uw 0.7 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 60 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

4-layer gluing Multi-layer paint application on the loose individual part

HA109MV DESIGN



109 mm

Top value: possible up to Uw 0.7 Standard: Uw 0,84 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 60 mm possible

Increased basic security 2 security strikers

Concealed fitting

3 seals

4-layer gluing Multi-layer paint application on the loose individual part

WOOD ALU

HA97MB SAFE



97 mm

3 discs



thermal insulation (W/m2K)



glazing plastic composite

glass thickness

overall depth








Q



Furnishing



Top value: possible up to Uw 0.76

Standard: Uw 0,89 (Ug 0,6)*

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA97MB DESIGN



97 mm

Top value: possible up to Uw 0.76 Standard: Uw 0,89 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 56 mm possible

Increased basic security 2 security strikers

Concealed fitting 3 seals

3-layer gluing Multi-layer paint application on the loose individual part

HA109MB SAFE



109 mm

Top value: possible up to Uw 0.73 Standard: Uw 0,87 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 60 mm possible

RC1N fitting equipment Security strikers, optional RC1N, RC2N, RC2 Patented Tresorband®

Concealed Tresorband® 3 seals

4-layer gluing Multi-layer paint application on the loose individual part

HA109MB DESIGN



109 mm

Top value: possible up to Uw 0.73 Standard: Uw 0,87 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 60 mm possible

Increased basic security 2 security strikers

Concealed fitting

3 seals

4-layer gluing Multi-layer paint application on the loose individual part

lift and slide doors





overall depth

(W/m2K)

glazing plastic composite

thermal insulation







glass thickness

Security



Hernishing



execution



197mm - frame 85mm - sash

Top value: possible up to Uw 0.76 Standard: Uw 0,91 (Ug 0,6)*

2 or 3 slices thermal insulation glazing


Up to 48 mm possible

Increased basic security

2 seals

Thermally separated threshold

HST BW87



202mm - frame 87mm - sash

Top value: possible up to Uw 0.76 Standard: Uw 0,91 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 48 mm possible

Increased basic security

2 seals

Thermally separated threshold

HST H80



188mm - Frame 80mm - Sash

Top value: possible up to Uw 0.63 Standard: Uw 0,78 (Ug 0,6)*

2 or 3 slices thermal insulation glazing


Up to 42 mm possible

Increased basic security

2 seals Optional mit Soft-Close-System

3-layer gluing Multi-layer paint application on the loose individual part Thermally separated threshold

HST H90



208mm - Frame 90mm - Sash

Top value: possible up to Uw 0.62 Standard: Uw 0,78 (Ug 0,6)*

3 discs thermal insulation glazing

Up to 52 mm possible

Increased basic security

2 seals Optional mit Soft-Close-System

4-layer gluing Multi-layer paint application on the loose individual part Thermally separated threshold



overall depth

(W/m2K)

glazing plastic composite

glass thickness

Furnishing

execution

Security

•

œ

thermal insulation

HST HA87



224mm - Frame 87mm - Wings

Top value: possible up to Uw 0.64 Standard: Uw 0,79 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 42 mm possible

Increased basic security

2 seals Optional mit Soft-Close-System

3-layer gluing Multi-layer paint application on the loose individual part Thermally separated threshold

HST HA87 SKY



224mm - Frame 87mm - Wings Top value: possible up to Uw 0.68 Standard: Uw 0,83 (Ug 0,6)*


2 or 3 slices thermal insulation glazing

Up to 42 mm possible

Increased basic security

2 seals Optional mit Soft-Close-System

3-layer gluing Multi-layer paint application on the loose individual part Thermally separated threshold HST HA97



237mm - Frame 97mm - Wings

Top value: possible up to Uw 0.66 Standard: Uw 0,82 (Ug 0,6)*

2 or 3 slices thermal insulation glazing

Up to 54 mm possible

Increased basic security

2 seals Optional mit Soft-Close-System

4-layer gluing Multi-layer paint application on the loose individual part Thermally separated threshold

BAYERWALD® - This is what we have stood for for over 100 years



THE BAYERWALD® ORIGIN

EXPERIENCED

Competence, honesty and authenticity. This is what we stand for as a premium manufacturer – for 100 years!



THE BAYERWALD® STANDARD

HIGHEST QUALITY Our innovative premium products impress with their comfort, functionality and sustainability.







THE BAYERWALD® PROMISE

HIGH QUALITY Safety, reliability and satisfaction. Our promises that we always keep.



THE BAYERWALD® FEELING

RECOMMENDED Security and multifaceted product variety. A calming feeling – BAYERWALD®





Everything from a single source - individual and unique.

Your full-service provider for your home

BAYERWALD® - a strong brand that combines safety, experience, innovation and the highest quality. As one of the leading companies in the window and front door industry, BAYERWALD® also sees itself as a full-range supplier of highly competitive, unique premium products.

In addition to a large range of front doors and windows, shutters, innovative and high-quality sun and insect protection and side entrance doors perfectly complement the portfolio.

You can find more information at **bayerwald.com**.







Sun protection for the contract of the contrac

From roller blinds to external venetian blinds to vertical awnings

shutters

Outside, the sun is already burning down from the sky - while we start the Sunday morning completely relaxed: Because thanks to the elegant, innovative roller shutters from BAYERWALD®, living rooms stay pleasantly cool even on hot summer days.

Raffstore

Whether the wind and weather are raging outside, the sun is beating down or your home is right on a busy path: External venetian blinds from BAYERWALD® are more than just sun protection. The durable blinds insulate the living space from heat and cold, protect against prying eyes and are very easy to operate.

Insect repellent

We have a good laugh - because annoying flies, mosquitoes and other bugs stay outside thanks to the BAYERWALD® insect protection. The fabric is solid, flexible and - thanks to the large selection of materials and colors - almost invisible. The weather-resistant frames for windows and sliding doors as well as roller blinds are also available.

You can find more information at:

bayerwald.com/sonnenschutz





BAYERWALD® - your reliable partner for your own home.

NEW CONSTRUCTION

Flooded with light and with a wonderful panoramic view. A cleverly planned house with large windows facing south/west not only improves the quality of well-being, but also the energy balance in the long term.

RENOVATION

Old, often insufficiently insulated windows result in massive heat loss, unnecessary noise pollution and increased heating costs. BAYERWALD® insulates these unwelcome consequences with new, energy-efficient solutions. An investment that pays for itself after a short time, but which immediately increases your well-being.

MONUMENT PROTECTION

Traditionally constructed, often listed buildings convey a very special flair and place high demands on the replacement of windows and doors. As an expert in the preservation of monuments, BAYERWALD® is there to help you as an experienced partner.



AGE-APPROPRIATE/ACCESSIBLE

Would you like to live freely, comfortably and unrestrictedly even in old age or with disabilities? Then plan your own home with foresight and future orientation!

Get as much freedom of movement as possible in your own 4 walls!

We would be happy to advise you on the numerous possibilities of our products and give you valuable tips.


SUN PROTECTION

BAYERWALD® windows are not only safe, energy-efficient and elegant - they are also multifunctional: With our tailor-made, highquality shading solutions, you can enjoy sunny days with the best protection from unwanted UV rays and summer heat! Pleasantly cool rooms significantly increase living comfort.

INSECT REPELLENT

As a full-service provider, BAYERWALD® also has modern, diverse and individually plannable insect protection solutions ready for you. Maximum shielding from mosquitoes - with the greatest possible light and air permeability, high tear resistance and brilliant transparency.







BAYERWALD® online - more information

Find your BAYERWALD® dealer near you

Österreich



bayerwald.com



Scan QR Code

& find partners

Would you like even more choice?

Get more brochures for windows and sun protection from your BAYERWALD® dealer or at

bayerwald.com/prospekte



Scan QR Code

& brochures received

According to § 96 GEG (Building Energy Act) we point out the following:

If changes are made to external components of existing heated or cooled buildings (renovation, replacement or first-time installation), the following must be observed: "Anyone who carries out work for the owner on a commercial basis is obliged to indicate in writing when submitting the offer that a consultation is to be carried out with a person authorized to issue energy performance certificates. Eligible persons and additional provisions and exceptions are defined in Section 88 GEG."

care products

MAINTENANCE SET FOR DOORS

ADLER Door-Cleaner 500ml ADLER Door-Finish 500ml 1 cleaning cloth 1 spray head System care especially for glazed and opaque coated front doors and garage doors.

WOOD DOD AL

Order no. 5170917

TOP-CLEANER

500ml bottle High-quality cleaner for glazed wooden windows, wooden doors and garden furniture. High dirt dissolving power, very good degreasing properties.

WOOD WOOD ALU

Order no. 5169612

DEATH FINISH

750 ml Dose Wood oil for outdoor use based on refined natural oils, good weather resistance with built in UV protection. Very easy to work with and with a pleasant smell, can be used for components that are not dimensionally stable such as wooden houses, garden furniture, canopies, wood paneling, balconies! Effective against blue stain, brush - DO NOT SPRAY!



Order no. 5052007

ALU-EMULSION

500ml bottle

Intensive cleaner and preserver for windows, doors, roller shutters and parapets made of natural aluminium, anodised, powder-coated and varnished



Order no. 200030







-

Pullex

WOOD

KU

DOOR-FINISH 500ml bottle

Care for glazed and opaque coated front doors and garage doors. Removes stains and dust, forms a protective film against dirt and water, refreshes the surfaces and creates a silky shine again.

WOOD WOOD ALU

Order no. 5170012



50ml bottle For the maintenance of sash rebate seals.



Order no. 200207

STAINLESS STEEL CARE OIL 400 ml Dose Forms a water-repellent protective layer, removes light soiling.

ALU HOLZ ALU WOOD STAND UP KU Order no. 08931210

MAINTENANCE GREASE 20 ml Tube Especially for vault hinges, gears and mushroom pins.











WOOD/ALU Wood/aluminium



UNIVERSAL CLEANER

pollen or insect secretions.

INTENSIVE CLEANER

750ml bottle

KU

250ml bottle


KU





And an address

٠





Super Finish Special sealing for white, uncoated window profiles. Wax-free sealing, produces a densely networked, long-lasting protective film with a beading effect.

Daily Clean universal cleaner for white and foiled profiles, glass and seals.

XtraCare white intensive cleaner for white, uncoated window profiles.

KU

WURTH

Order no. 146.125.5

INTENSIVE CLEANER


250ml bottle

XtraCare Color intensive cleaner only for colored window profiles. For cleaning stubborn dirt, such as coffee residues, soot, pencils, hand cream, greasy dirt deposits, silicone oil and much more.

KU Order no. 146.127.1



Wood



Design your own dream front door:

Design your individual front door online and ask your local dealer right away. **haustuerdesigner.com**

Follow us!

Follow us on our social media channels and don't miss any news.



Your BAYERWALD® specialist retail partner

Subject to errors and technical changes. Color deviations are due to the printing process. Original color sample according to the current color card or supplement according to the valid price list.

Concealed fittings only if technically feasible. UW values refer to single-sash windows without sash bars (for wooden windows and wooden HST, the values refer to the wood species spruce), window size 1,230 x 1,480 mm RAM, HST size 3,980 x 2,230 mm RAM scheme A and were calculated according to the procedures and standards described in DIN EN 14351-1:2006+A2:2016 as part of the CE marking. The structures for the glasses represent examples with a Ug value and can deviate from this in individual cases. Valid from 03/01/2023 – 12/31/2023



BAYERWALD® - window front doors GmbH & Co. KG

Business park 7 D-94154 Neukirchen in front of the forest Tel. +49 8504 400-0 Fax +49 8504 2077

bayerwald.com

Registered office:

Deching 3 D-94133 Röhrnbach

